

Attachment-4 Tree Inspection Report



Tree Inspection Report
649 Scottsdale, Guelph ON

Tree Inspection Report

Summary

The following Tree Inspection Report has been prepared for Brydges Landscape Architecture, for the proposed development project at 649 Scottsdale Dr., Guelph, Ontario.

The report summarizes the 13 trees to be removed on the property.

Limitations of Inventory

This Arborist Report was compiled from field data collected from the ground. A basic visual assessment of the tree was performed. No level of ISA Tree Risk Assessment was performed. More data on risk may be obtained through a basic or advanced ISA Tree Risk Assessment.

Observations

All species identification for the trees A1 – A5, and B1 – B8 are Correct.

The following changes should be made:

Tree A1: 33cm DBH, Condition: Good

Tree A2: 32cm DBH, Condition: Fair

Tree A3: 38cm DBH, Condition: Good

Tree A4: 25cm DBH, Condition: Good

Tree A5: 34cm DBH, Condition: Good

Tree B1: 37cm DBH, Condition: Poor

Tree B2: 25cm DBH, Condition: Fair

Tree B3: 15cm DBH, Condition: Fair

Tree B4: 17cm DBH, Condition: Fair

Tree B5: 20cm DBH, Condition: Fair



Tree Inspection Report
649 Scottsdale, Guelph ON

Tree B6: 26cm DBH, Condition: Good

Tree B7: 20cm DBH, Condition: Fair

Tree B8: 25cm DBH, Condition: Good

Prepared by:

Greg Templeman. ISA Certified Arborist. ON – 1108 - A

Evan Cranstone. ISA Certified Arborist. ON – 2552 – A, BLA

519-576-1213

info@pinnacletree.ca

KEY	COMMON NAME	BOTANICAL NAME	SIZE	ASSESSMENT	RECOMMENDATION	NOTES
A.1	COLORADO BLUE SPRUCE	<i>Picea pungens</i>	33 cm	GOOD	REMOVE	
A.2	COLORADO BLUE SPRUCE	<i>Picea pungens</i>	32 cm	FAIR	REMOVE	
A.3	COLORADO BLUE SPRUCE	<i>Picea pungens</i>	38 cm	GOOD	REMOVE	
A.4	COLORADO BLUE SPRUCE	<i>Picea pungens</i>	25 cm	GOOD	REMOVE	
A.5	COLORADO BLUE SPRUCE	<i>Picea pungens</i>	34 cm	GOOD	REMOVE	
B.1	COLORADO BLUE SPRUCE	<i>Picea pungens</i>	37 cm	POOR	REMOVE	Needle Cast
B.2	SCOTS PINE	<i>Pinus sylvestris</i>	25 cm	FAIR	REMOVE	
B.3	SCOTS PINE	<i>Pinus sylvestris</i>	15 cm	FAIR	REMOVE	
B.4	SCOTS PINE	<i>Pinus sylvestris</i>	17 cm	FAIR	REMOVE	
B.5	SCOTS PINE	<i>Pinus sylvestris</i>	20 cm	FAIR	REMOVE	
B.6	SCOTS PINE	<i>Pinus sylvestris</i>	26 cm	GOOD	REMOVE	
B.7	SCOTS PINE	<i>Pinus sylvestris</i>	20 cm	FAIR	REMOVE	
B.8	SCOTS PINE	<i>Pinus sylvestris</i>	25 cm	GOOD	REMOVE	

TO BE REMOVED

TO BE REMOVED IMMEDIATELY HAZARD TREE

ARBORIST ASSESSMENT DESCRIPTION - ADAPTED FROM ISA STANDARDS		
KEY	DESCRIPTION	OVERALL HEALTH
E	Excellent	81-100%
G	Good	61-80%
F	Fair	41-60%
P	Poor	21-40%
VP	Very Poor	1-20%
D	Dead	0%

REQUIRED COMPENSATION			
ARBORIST ASSESSMENT	QUANTITY	TOTAL COMPENSATION	
GOOD (3:1)	6	18	
FAIR (2:1)	6	12	
POOR (1:1)	1	1	
TOTAL REQUIRED COMPENSATION 31			

LANDSCAPE & REPLANTING PLAN			
TREES			
COMMON NAME	BOTANICAL NAME	QUANTITY	MINIMUM SIZE
Ivory Silk Lilac	<i>Syringa reticulata</i>	7	60mm
Serviceberry	<i>Amelanchier canadensis</i>	5	60 mm
TOTAL PROPOSED TREES 12			

Please note that the client will pay the \$500 Fee per tree for Compensation Trees not Compensated (19 Trees) x \$500 = \$9500

This report was prepared by Paul Brydges of Brydges Landscape Architecture Inc.
Reviewed by Greg Templeman Certified ISA Arborist (ON-1108-A)



April 22nd, 2021
Principal/ Senior Landscape Architect
Brydges Landscape Architecture Inc.
Member APALA, ASLA, CNLA, CSLA, OALA
Past President of Landscape Ontario

