
**Attachment-6: Proposed Zoning By-law Amendment and Details** 



6-3

### 6.2 COMMERCIAL SHOPPING CENTRE **ZONES**

### 6.2.1 PERMITTED **USES**

The following are permitted **Uses** within the Commercial Shopping Centre (NC, CC, and RC) **Zones**:

18116 6.2.1.1 <u>Neighbourhood Shopping Centre - NC **Zone**</u>

**Dwelling Units** with permitted commercial **Uses** in the same **Building** in accordance with Section 4.15.2

- Art Gallery
- Artisan Studio
- Club
- Dav Care Centre in accordance with Section 4.26
- Dry Cleaning Outlet
- Financial Establishment
- Food Vehicle in accordance with Section 4.30
- **Group Home** in accordance with Section 4.25
- Laundry
- Library
- Medical Clinic
- Medical Office
- Office
- Personal Service Establishment
- Religious Establishment
- Restaurant
- · Restaurant (take-out)
- Retail Establishment
- Vehicle Gas Bar
- Veterinary Service
- Accessory Uses in accordance with Section 4.23
- Occasional Uses in accordance with Section 4.21

### 6.2.1.2 Community Shopping Centre - CC **Zone**

All **Uses** permitted in Section 6.2.1.1 subject to the regulations of the CC **Zone** with the following added permitted **Uses**:

- Amusement Arcade
- Carwash, Automatic
- · Carwash, Manual
- Commercial Entertainment
- Commercial School
- Funeral Home
- Garden Centre
- Public Hall

20093

6-4

- Recreation Centre
- Rental Outlet
- Tavern
- Taxi Establishment

### 6.2.1.3 Regional Shopping Centre - RC **Zone**

All **Uses** permitted in Section 6.2.1.2 subject to the regulations of the RC **Zone**.

### 6.2.2 REGULATIONS

Within the Commercial Shopping Centre **Zones**, no land shall be **Used** and no **Building** or **Structure** shall be erected or **Used** except in conformity with the applicable regulations contained in Section 4 - General Provisions, the regulations as set out in Table 6.2.2, and the following:

- 6.2.2.1 <u>Maximum Gross Floor Area</u> Per Unit NC Zone 625 m<sup>2</sup>.
- 6.2.2.2 Special Regulations for **Vehicle Gas Bars**:
- 6.2.2.2.1 Minimum Setback of Pump Islands 7.5 metres from the curbing of the pump islands to the Street Line or the designated Street Line as set out in Section 4.24.

Despite the above, canopies over pump islands and underground storage tanks are allowed to project up to 1.5 metres from the **Street Line**.

### 6.2.2.2.2 Entry Ramps

There shall be no more than one entry ramp for each 15 metres of **Street** frontage and the width of any entry ramp shall not exceed 9 metres at the **Street Line**.

### 6.2.2.2.3 Minimum Front or Exterior Side Yard

Despite Row 5 of Table 6.2.2, the minimum *Front* or *Exterior Side Yard* for a *Vehicle Gas Bar* shall be 15 metres and as set out in Section 4.24.

### 6.2.2.2.4 Minimum Rear Yard

Despite Row 7 of Table 6.2.2, the minimum *Rear Yard* for a *Vehicle Gas Bar* shall be 1.5 metres.

#### 6.2.2.2.5 Surfacing

The surfaces of all ramps, *Driveways*, service areas, and off-street loading areas shall be surfaced with a capped, hard top substance such as asphalt, or other stable surface treated to prevent the

6-5 raising of dust and/or loose particles. 6.2.2.3 Regulations Governing Car washes, Automatic and Car washes, Manual **Entry Ramps** 6.2.2.3.1 There shall be no more than one entry ramp for each 15 metres of Street frontage and the width of any entry ramp shall not exceed 9 metres at the Street Line. 6.2.2.3.2 Number of Vehicle Standing Spaces - in accordance with Section 4.13.4.2. 6.2.2.3.3 Surfaces The surfaces of all ramps, Driveways, service areas, and off-street loading areas shall be surfaced with a capped, hard top substance such as asphalt, or other stable surface treated to prevent the raising of dust and/or loose particles. 6.2.2.3.4 **Enclosed Operations** Despite Section 4.22, the following shall apply to car wash establishments in the CC and RC Zones: 6.2.2.3.4.1 All of the operations of a Car wash, Automatic or Car wash, Manual shall be conducted within an enclosed Building except for the moving and storage of Vehicles. Despite Section 6.2.2.3.4.1, on-site vacuuming devices, and 6.2.2.3.4.2 wiping or drying areas, where provided may be located outside the Main Building Vehicle Storage Space 6.2.2.3.5 A minimum of 2 Vehicle storage spaces per bay shall be provided. 6.2.2.3.6 Vehicle Standing Space Dimensions Each Vehicle standing space shall have minimum dimensions of not less than 6 metres by 2.4 metres. 6.2.2.3.7 Location of Vehicle Area 6.2.2.3.7.1 Despite the provisions of Section 4.13.2.3, required Vehicle standing spaces and Vehicle storage spaces may be located ahead of the Setback line. 6.2.2.3.7.2 Vehicle standing spaces shall be arranged in a continuous line or lines leading into the washing bay or bays in such a way so as not to interfere with the movement of traffic on public Streets and the normal functioning of the site.

ails ————————————————————————————————————				
	6-6			
6.2.2.3.7.3 <b>Vehicle</b> storage, standing, loading and wiping areas shall not be permitted within 3 metres of any public <b>Street</b> .				
6.2.2.3.7.4	Public <i>Streets</i> , lanes and other public places shall not be <i>Used</i> for the storage, standing, wiping and maneuvering of motor <i>Vehicles</i> in any manner as if they were part of the car wash premises.			

6-7

### TABLE 6.2.2 - REGULATIONS GOVERNING COMMERCIAL SHOPPING CENTRES

Row 1	Commercial Type	Neighbourhood (NC) Shopping Centre	Community (CC) Shopping Centre	Regional (RC) Shopping Centre		
2	Minimum <i>Lot Area</i>	2,000 m <sup>2</sup>	7,500 m <sup>2</sup>	100,000 m <sup>2</sup>		
3	Maximum <i>Lot Area</i>	7,500 m <sup>2</sup>	50,000 m <sup>2</sup>	ESC MA		
4	Minimum <i>Lot Frontage</i>	30 metres	50 metres	100 metres		
5	Minimum <i>Front</i> and <i>Exterior Side Yard</i>	3 metres and in accordance with Section 4.24.				
6	Minimum <b>Side Yard</b>	One-half the <i>Building Height</i> but not less than 3 metres.		10 m or twice the <i>Building Height</i> whichever is greater, but not less than 15 metres where a <i>Side Yard</i> abuts a Residential or Urban Reserve <i>Zone</i> .		
7	Minimum <b>Rear Yard</b>	One-half the <i>Building Height</i> but not less than 3 metres.		10 m or twice the <i>Building Height</i> whichever is greater, but not less than 15 metres where a <i>Side Yard</i> abuts a Residential or Urban Reserve <i>Zone</i> .		
8	Maximum <b>Building Height</b>	2 <b>Storeys</b> to a maximum of 10 metres and in accordance with Sections 4.16 and 4.18.	3 <i>Storeys</i> to a maximum of 15 metres and in accordance with Sections 4.16 and 4.18.	8 <b>Storeys</b> to a maximum of 30 metres and in accordance with Sections 4.16 and 4.18.		
9	Minimum <i>Gross Floor</i> <i>Area</i>		1,875 m <sup>2</sup>	31,250 m <sup>2</sup>		
10	Maximum <b>Gross Floor</b> <b>Area</b>	1,875 m <sup>2</sup> and in accordance with Section 6.2.2.1.	12,500 m <sup>2</sup>	75,000 m <sup>2</sup>		
11	Minimum <i>Landscaped Open Space</i>	9% of the <i>Lot Area</i> .				
12	Planting Area	A landscaped strip of land, 3 metres in width shall be maintained adjacent to the <i>Street Line</i> , except for those areas required for entry ramps.				
13	Buffer Strips	Where a NC, CC, or RC <i>Zone</i> abuts any Residential, Institutional, Park, Wetland, or Urban Reserve <i>Zone</i> , a <i>Buffer Strip</i> shall be developed.				
14	Off-Street Parking	In accordance with Section 4.13.				
15	Off-Street Loading	In accordance with Section 4.14.				
16	Enclosed Operations	In accordance with Section 4.22.				
17	Accessory <b>Buildings</b> or <b>Structures</b>	In accordance with Section 4.5.				
18	Garbage, Refuse Storage and Composters	In accordance with Section 4.9.				
19	Fences	In accordance with Section 4.20.				

Significant.

### 13.2 WETLAND (WL) ZONE

### 13.2.1 Permitted *Uses*

Wetland
Flood Control Facility
Recreation Trail (approved by the Grand River Conservation Authority)
Wildlife Management Area

### 13.2.2 Regulations

Within the **Wetland** (WL) **Zone** all lands have been placed in a non-development designation. No construction of **Buildings** or **Structures**, removal or placement of fill, or any other **Development** or **Redevelopment** shall be permitted.

Despite the above, **Buildings** or **Structures** existing on the date of the passage of this **By-law** within the WL **Zone** shall be recognized as legal non-conforming.

### 13.3 LANDS ADJACENT TO PROVINCIALLY SIGNIFICANT WETLANDS

Lands adjacent to **Provincially Significant Wetlands** have a shading pattern placed on them in the Defined Area Zoning Maps and are subject to the following regulations:

Properties with Adjacent Lands shading shall be required to complete an Environmental Impact Study when a Development or Redevelopment proposal, requiring an Official Plan amendment, a Zoning By-law amendment, a plan of subdivision (excluding a plan of condominium), or a consent is submitted for the portion of the property with Adjacent Lands shading.

Plans of condominium will be exempted from having to complete an *Environmental Impact Study* only if the lands to which the plan of condominium applies have had a required *Environmental Impact Study* approved through a plan of subdivision, Official Plan amendment, Zoning *By-law* amendment, or consent.

### 15006 13.4 <u>LOCALLY SIGNIFICANT WETLANDS</u>, SIGNIFICANT WOODLOTS, NATURAL CORRIDORS, AND LINKAGES

Locally Significant Wetlands, significant woodlots, Natural Corridors and Linkages have a shading pattern placed on them in the Defined Area Maps. Properties with Locally Significant Wetlands, significant woodlots, Natural Corridors and Linkages shall be required to complete an Environmental Impact Study when a Development or Redevelopment proposal, requiring an Official Plan amendment, a Zoning By-law amendment, a plan of subdivision (excluding a plan of condominium), or a consent is submitted for lands within the shaded areas of the property.

13.4.1 Plans of condominium will be exempted from having to complete an *Environmental Impact Study* only if the lands to which the plan of condominium applies have had a required *Environmental Impact Study* approved through a plan of subdivision, Official Plan amendment, Zoning *By-law* amendment, or consent.

### **Specialized NC-xx (Neighbourhood Commercial) Zone**

### Regulations

In accordance with Section 4 (General Provisions) and Section 6.2 and Table 6.2.2 (Regulations Governing Commercial Shopping Centre Zones) of Zoning By-law (1995)-14864, as amended, with the following exceptions:

- To permit commercial uses; specifically a convenience store and a microbrewery or brew pub.
- To permit a maximum height of nine (9) storeys whereas the Zoning By-law limits the maximum height to six (6) storeys.
- To permit a maximum angular plane from Gordon Street of 52 degrees whereas the Zoning By-law limits the maximum angular plane measured to road centrelines to 45 degrees
- To permit a maximum gross floor area of 10,650 square metres, whereas the Zoning By-law limits the maximum gross floor area to 1,875 square metres.
- To permit a maximum gross floor area per unit of 650 square metres, whereas the Zoning By-law limits the maximum gross floor area per unit to 625 square metres.
- To permit a minimum side yard setback of 7 metres, whereas the Zoning Bylaw requires a minimum side yard setback of half the building height and not less than 3 metres.
- To permit a parking rate for residential uses of 1.1 spaces per unit, whereas the Zoning By-law requires a minimum of 1.25 to 1.5 spaces per unit.
- To permit a parking rate for office uses of 2.5 spaces per 100 square metres of gross floor area.
- To permit a parking rate for commercial uses of 3.0 spaces per 100 square metres of gross floor area.
- To provide common amenity space at a rate of 6.4 square metres per dwelling unit aggregated into areas of not less than 50 square metres, whereas the Zoning By-law requires common amenity space be provided at a rate of 20 to 30 square metres per unit.