


WOODLAWN CEMETERY



LEGEND OF EXISTING FEATURES

---	SITE BOUNDARY
Ex. 300mm ^Ø SAN	EXISTING SANITARY SEWER
Ex. 200mm ^Ø WTM	EXISTING WATERMAIN
Ex. 375mm ^Ø STM	EXISTING STORM SEWER
Ex. Drop Curb	EXISTING CURB
---	EXISTING FENCE
---	EXISTING RETAINING WALL

LEGEND OF PROPOSED FEATURES

MH	14.6m-200mm ^Ø SAN @ 1.5%	SANITARY SEWER
MH	21.3m-300mm ^Ø STM @ 1.3%	STORM SEWER
200mm ^Ø WTM	HYD. SET	WATERMAIN
---	---	SANITARY SERVICE
---	---	WATER SERVICE
---	---	STORM SERVICE
---	---	SEWER CROSSING (REFER TO CROSSING CHART)
---	---	SHALLOW PIPE INSULATION (SEE DETAIL)
---	---	PROPOSED BUILDING
---	---	MAN DOOR
---	---	CONCRETE CURB
---	---	RETAINING WALL
---	---	SAW CUT
---	---	LIMIT OF PHASE 2 CONSTRUCTION
---	---	LIGHT STANDARDS
---	---	PERFORATED 100mm ^Ø BIG "O" SUBDRAIN (SEE DETAIL)

SEWER CROSSING CHART

CROSSING #	SEWER TYPE	SEWER SIZE (mm ^Ø)	CROSSING ELEVATION	NOTES
X1	STM	300	INV.=331.312	
	SAN	200	OBV.=330.720	
X2	STM	300	INV.=331.222	
	WTM	200	OBV.=330.08±	
X3	STM	300	INV.=331.223	
	WTM	150	OBV.=329.98±	
X4	SAN	200	INV.=330.488	
	WTM	150	OBV.=329.98±	CAUTION: DEFLECT WTM UNDER SAN TO MAINTAIN 0.5m VERTICAL SEPARATION.

NOTE:

- PROPERTY-LINE IS APPROXIMATE ONLY.
- INVERTS DENOTED WITH "±" ARE TAKEN FROM AS-RECORDED PLAN AND PROFILE DRAWINGS COMPLETED BY THE CITY OF GUELPH DATED DECEMBER 21, 1999 AND ARE CONSIDERED APPROXIMATE ONLY. CONTRACTOR TO FIELD VERIFY AND REPORT ANY DISCREPANCIES TO ENGINEER.
- THIS PLAN IS PART OF A SET OF PLANS WHICH COMPRISE OF THE FOLLOWING: EX-1, GP-2, SSP-2, DET-4, AND DET-5 SHOULD BE READ IN CONJUNCTION WITH GP-1, SSP-1 AND THE SWM REPORT BY MTE CONSULTANTS INC.


NOTE TO CONTRACTOR :

DO NOT SCALE DRAWINGS.

CONTRACTORS MUST CHECK AND VERIFY ALL DIMENSIONS AND REPORT ANY DISCREPANCIES TO THE ENGINEER BEFORE PROCEEDING WITH THE WORK.

ALL DRAWINGS REMAIN THE PROPERTY OF THE ENGINEER AND SHALL NOT BE REPRODUCED OR REUSED WITHOUT THE ENGINEER'S WRITTEN PERMISSION.

THE OWNER/ARCHITECT/CONTRACTOR IS ADVISED THAT M.T.E. CONSULTANTS INC. CANNOT CERTIFY ANY COMPONENT OF THE SITE WORKS NOT INSPECTED DURING CONSTRUCTION. IT IS THE RESPONSIBILITY OF THE GENERAL CONTRACTOR TO NOTIFY M.T.E. CONSULTANTS INC. PRIOR TO COMMENCEMENT OF CONSTRUCTION TO ARRANGE FOR INSPECTION.



GEODETIC BM ELEV. =334.660m
CITY OF GUELPH #66 PARKVIEW MOTEL.

SITE BENCHMARK ELEV. =332.185m
TOP NUT OF FIRE HYDRANT
(MTE PNT # 9004)

CLIENT

REID'S HERITAGE PROPERTIES

1515 GORDON STREET, UNIT 203

GUELPH

PROJECT

710 WOOLWICH STREET-
PHASE 2

GUELPH

DRAWING

SITE SERVICING PLAN




Engineers, Scientists, Surveyors

519-743-6500

Project Manager	R.KERR	Project No.	47758-100
Design By	TMA	Checked By	RCK
Drawn By	SWX / APK	Checked By	TMA
Surveyed By	MTE	Drawing No.	SSP-2
Date	Nov.19/21	Sheet	3 of 5
Scale	1:250		

WOODLAWN CEMETERY



LEGEND OF EXISTING FEATURES

- SITE BOUNDARY
- EXISTING CONTOURS
- EXISTING CURB
- EXISTING BUILDING
- EXISTING FENCE
- EXISTING RETAINING WALL


LEGEND OF PROPOSED FEATURES

- PROPOSED SPOT ELEVATIONS
EX = MAINTAIN EXISTING
T/G = TOP OF CASTING/GRATE
FFE = FINISHED FLOOR ELEVATION
- DIRECTION OF DRAINAGE/SWALE
- DRAINAGE SPLIT (RIDGE)
- EMBANKMENT (SLOPE AS NOTED)
- PROPOSED BUILDING
- MAN DOOR
- CONCRETE CURB
- RETAINING WALL
- OVERLAND FLOW ROUTE (MAJOR STORM)
- LIMIT OF PHASE 2 CONSTRUCTION
- LIGHT STANDARD
- SEDIMENT CONTROL FENCE (SEE DETAIL)
- 100 YEAR PONDING LIMIT (ELEVATION=333.115)
- 5 YEAR PONDING LIMIT (ELEVATION=333.005)

NOTE: CONTRACTOR TO CLEAN PRIVATE DRIVE AISLE, ROADWAY AND SIDEWALKS OF SEDIMENTS RESULTING FROM CONSTRUCTION TRAFFIC FROM THE SITE EACH DAY.

NOTE:
1. PROPERTY LINE IS APPROXIMATE ONLY.
2. INVERTS DENOTED WITH "±" ARE TAKEN FROM AS-RECORDED PLAN AND PROFILE DRAWINGS COMPLETED BY THE CITY OF GUELPH DATED DECEMBER 21, 1999 AND ARE CONSIDERED APPROXIMATE ONLY. CONTRACTOR TO FIELD VERIFY AND REPORT ANY DISCREPANCIES TO ENGINEER.
3. THIS PLAN IS PART OF A SET OF PLANS WHICH COMPRISE OF THE FOLLOWING: EX-1, GP-2, SSP-2, DET-4, AND DET-5 SHOULD BE READ IN CONJUNCTION WITH GP-1, SSP-1 AND THE SWM REPORT BY MTE CONSULTANTS INC.

NOTE TO CONTRACTOR :
DO NOT SCALE DRAWINGS.
CONTRACTORS MUST CHECK AND VERIFY ALL DIMENSIONS AND REPORT ANY DISCREPANCIES TO THE ENGINEER BEFORE PROCEEDING WITH THE WORK.
ALL DRAWINGS REMAIN THE PROPERTY OF THE ENGINEER AND SHALL NOT BE REPRODUCED OR REUSED WITHOUT THE ENGINEER'S WRITTEN PERMISSION.
THE OWNER/ARCHITECT/CONTRACTOR IS ADVISED THAT M.T.E. CONSULTANTS INC. CANNOT CERTIFY ANY COMPONENT OF THE SITE WORKS NOT INSPECTED DURING CONSTRUCTION. IT IS THE RESPONSIBILITY OF THE GENERAL CONTRACTOR TO NOTIFY M.T.E. CONSULTANTS INC. PRIOR TO COMMENCEMENT OF CONSTRUCTION TO ARRANGE FOR INSPECTION.



GEODETIC BM CITY OF GUELPH #66 PARKVIEW HOTEL	ELEV. = 334.660 m
SITE BENCHMARK TOP NUT OF FIRE HYDRANT (MTE PNT # 9004)	ELEV. = 332.185 m
8.	
7.	
6.	
5. Revised per City Comments	ROK 2022-08-30
4. Revised per City Comments	ROK 2022-05-25
3. ISSUED FOR SPA	ROK 2022-03-23
2. Revised per New Site Plan	ROK 2021-12-22
1. ISSUED FOR ZBA	ROK 2021-06-10
BY	MM-MM-00

CLIENT
REID'S HERITAGE PROPERTIES
1515 GORDON STREET, UNIT 203
GUELPH
PROJECT
710 WOOLWICH STREET- PHASE 2
GUELPH
DRAWING
SITE GRADING, SWM AND E&SC PLAN

MTE Engineers, Scientists, Surveyors 519-743-6500	
Project Manager R.KERR	Project No. 47758-100
Design By TMA	Checked By RCK
Drawn By SKW / APK	Checked By TMA
Surveyed By MTE	Drawing No. GP-2
Date Nov.19/21	Sheet 2 of 5
Scale 1:250	