

Annual Play Equipment Lifecycle Project



Agenda

- 2023/24 lifecycle project update
- Community engagement and AAC opportunity to inform the design process
- Play equipment designs for Dovercliffe and Howitt Parks
- Update: University Village Park
- Update: rubberized surfaces
- AAC recommendations/ motion





2023 Project Update

- The last time we met was during phase one community engagement for this project which ran from November 29 to December 15, 2022
 - What you told us at that meeting has helped inform the design process for the project
 - Phase two community engagement and voting concluded on October 8 for Dovercliffe Park and Howitt Park
 - Phase two community engagement and voting for play equipment at University Village Park will occur later this year. We will be back at the December 19 AAC meeting to present and discuss those design details.
-

Parks receiving new play equipment as part of the annual play equipment lifecycle project 2023/24



Howitt Park



University Village Park



Dovercliffe Park



Play equipment design for Dovercliffe Park by Play Power
View 1 of 4



Play equipment design for Dovercliffe Park by Play Power
View 2 of 4



Play equipment design for Dovercliffe Park by Play Power
View 3 of 4



Play equipment design for Dovercliffe Park by Play Power
View 4 of 4

Play equipment design for Dovercliffe Park

We would like to know:

- Do you have any accessibility concerns?
- Do you have any recommendations to improve the park design or equipment?



Play equipment design for Howitt Park by New World Park Solutions

View 1 of 4



Play equipment design for Howitt Park by New World Park Solutions

View 2 of 4



Play equipment design for Howitt Park by New World Park Solutions
View 3 of 4



Play equipment design for Howitt Park by New World Park Solutions

View 4 of 4

Play equipment design for Howitt Park

We would like to know:

- Do you have any accessibility concerns?
- Do you have any recommendations to improve the park design or equipment?

Update: University Village Park

In the time since our first round of engagement, we have consulted with the AAC through the Parks and Recreation Master Plan (PRMP) project. As a result, **University Village Park** has now been selected as a location that will include **fully accessible play equipment** and **rubber safety surfacing**.

The park's **location is ideal** because it:

- is **centrally located**,
- **contains existing parking**, and;
- is **on a transit route** with a bus stop at the park.

We will be doing community engagement for University Village Park later this year by presenting two different accessible playground design options. When this process has concluded we **will return at the December 19 AAC Meeting** to discuss the play equipment design.

Update: rubberized surfaces

Existing playgrounds with rubberized surfaces:

- Royal City Park (North)
- Riverside Park (West)
- Eastview Community Park
- South End Community Park
- Spurline Park

2023 - Playgrounds to receive rubberized surfaces:

- Herb Markle Park
- Howden Crescent Park

2024 - Playgrounds to receive rubberized surfaces:

- University Village Park

AAC Recommendations/Motion

Recommended Motion:

That the AAC reviewed the selected designs for new play equipment at Dovercliffe Park and Howitt Park, and:

- supports the designs, or/and;
- have no comments on the design, or/and;
- recommend that _____ be considered as part of the designs