

Attachment 6 – Proposed Zoning

## **Attachment 6 – Proposed Zoning (continued):**

In accordance with the holding provision outlined in Attachment 3 and Section 5.1 of the Zoning By-law, as amended, as outlined below.

5-1

## SECTION 5 - RESIDENTIAL ZONES

	5.1	RESIDENTIAL SINGLE DETACHED (R.1) ZONES)
	5.1.1	<u>PERMITTED</u> <b>USES</b> The following are permitted <b>Uses</b> within the R.1A, R.1B, R.1C, and R.1D <b>Zones</b> :
18116		<ul> <li>Single Detached Dwelling</li> <li>Accessory Apartment in accordance with Section 4.15.1</li> <li>Bed and Breakfast establishment in accordance with Section 4.27</li> <li>Day Care Centre in accordance with Section 4.26</li> <li>Group Home in accordance with Section 4.25</li> <li>Home Occupation in accordance with Section 4.19</li> <li>Lodging House Type 1 in accordance with Section 4.25</li> </ul>
	5.1.2	<u>REGULATIONS</u> Within the Residential 1 (R.1) <b>Zones</b> , no land shall be <b>Used</b> and no <b>Building</b> or <b>Structure</b> shall be erected or <b>Used</b> except in conformity with the applicable regulations contained in Section 4 - General Provisions, the regulations listed in Table 5.1.2, and the following:
15378	5.1.2.1	Despite Row 7 of Table 5.1.2, where a <b>Garage, Carport</b> or <b>Parking</b> <b>Space</b> is not provided in accordance with Section 4.13.2.1, one <b>Side</b> <b>Yard</b> shall have a minimum dimension of 3 metres.
15006	5.1.2.2	Despite any required <b>Side Yard</b> on a residential <b>Lot</b> , <b>Carports</b> shall be permitted provided that no part of such <b>Carport</b> is located closer than 0.6 metres to any <b>Side Lot Line</b> .
20134	5.1.2.3	In the event that there is a transformer easement on a particular <i>Lot</i> , portions of the <i>Single Detached Dwelling</i> may be required to be <i>Setback</i> further than specified in Row 6 of Table 5.1.2 in order that a minimum separation of 3 metres may be maintained between the transformer easement and any part of the dwelling.
	5.1.2.4	Despite Rows 6 and 8 of Table 5.1.2, <i>Buildings</i> or <i>Structures</i> located on <i>Through Lots</i> shall have a <i>Setback</i> the same as the nearest adjacent <i>Main Building</i> and in accordance with Section 4.24.
	5.1.2.5	Despite Row 4 of Table 5.1.2, the minimum <i>Lot Frontage</i> for a <i>Corner Lot</i> in a R.1D <i>Zone</i> shall be 12 metres.
15006	5.1.2.6	Despite Row 4 of Table 5.1.2, the <i>Lots</i> located within Defined Area Map Number 66 of Schedule "A" of this <b>By-law</b> shall have a minimum <i>Lot Frontage</i> of the average <i>Lot Frontage</i> established by the existing

# Attachment 6 – Proposed Zoning (continued):

			Lots within the same City Block Face, but in no case less than 9 metres. Nothing in this section shall require the minimum Lot Frontage to be greater than the minimum Lot Frontage established in Table 5.1.2. Where the average Lot Frontage of the existing Lots on the Block Face cannot be determined, the minimum Lot Frontage shall be as indicated in Table 5.1.2.
15006	5.1.2.7		Despite Row 6 of Table 5.1.2, the minimum <i>Front</i> or <i>Exterior Side</i> <i>Yard</i> for dwellings located within Defined Area Map Number 66 of Schedule "A" of this <i>By-law</i> , shall be:
15006 15378 17187 19691		i)	The minimum <i>Front Yard</i> or <i>Exterior Side Yard</i> shall be 6 metres or the average of the <i>Setbacks</i> of the adjacent properties. Where the offstreet <i>Parking Space</i> is located within a <i>Garage</i> or <i>Carport</i> , the <i>Setback</i> for the <i>Garage</i> or <i>Carport</i> shall be a minimum of 6 metres from the <i>Street Line</i> .
		ii)	In accordance with Section 4.6 and 5.1.2.3; and
		iii)	In accordance with the <u>Ontario Building Code</u> , as amended from time to time or any successor thereof, regulations for above ground electrical conductor clearances to <b>Buildings</b> .
			Where a road widening is required in accordance with Section 4.24, the calculation of the required <i>Front</i> or <i>Exterior Side Yard</i> shall be as set out in Section 5.1.2.7, provided that the required <i>Front</i> or <i>Exterior Side Yard</i> is not less than the new <i>Street Line</i> established by the required road widening.
15006	5.1.2.8		Despite Row 7 of Table 5.1.2, properties <b>Zoned</b> R.1B or R.1C with <b>Buildings</b> over 2 <b>Storeys</b> located within Defined Area Map Number 66 of Schedule "A" of this <b>By-law</b> shall have a minimum <b>Side Yard</b> requirement of 1.5 metres.
15006	5.1.2.9		Deleted.
15692	5.1.2.10		Despite Row 7 of Table 5.1.2 in the R.1A Zone, where a <i>Building</i> has a one <i>Storey</i> portion and a 1.5 to 2 <i>Storey</i> portion, the required <i>Side</i> <i>Yard</i> shall be 1.5m from the <i>Side Lot Line</i> to the foundation wall of the 1 <i>Storey</i> portion and 2.4m from the <i>Side Lot Line</i> to the wall of the 1.5 to 2 <i>Storey</i> portion.
17187 18116	5.1.2.11		Where <i>Lots</i> have less than 12 metres of <i>Frontage</i> , the <i>Garage</i> is limited to a maximum of 55% of the <i>Lot</i> width (as measured at the <i>Front Yard Setback</i> ).

### 5-2

## Attachment 6 – Proposed Zoning (continued):

#### 5-3

#### Residential Type SINGLE-DETACHED DWELLINGS R.1A Zones R 1B R.1D R 1C 3 <u>555 m²</u> 460 m<sup>2</sup> 370 m<sup>2</sup> 275 m<sup>2</sup> Minimum Lot Area 4 Minimum Lot Frontage 18 metres and in 15 metres 12 metres 9 metres and accordance with and in and in in accordance with Sections 5.1.2.5 and Section 5.1.2.6. accordance accordance with Section with Section 5.1.2.6 5.1.2.6. 5.1.2.6. 5 Maximum Building Height 3 Storeys and in accordance with Section 4.18. 6 6 metres and in accordance with Sections 4.6, 4.24, 5.1.2.3, 5.1.2.4 and Minimum Front Yard 5.1.2.7 6a 4.5 metres and in accordance with Sections 4.6, 4.24, 4.28, 5.1.2.3, 5.1.2.4 Minimum Exterior Side and 5.1.2.7. Yard 7 Minimum Side Yard 1 to 2 Storeys 1.5 metres 1.5 metres 1.2 metres 0.6 metres 2.4 metres 2.4 metres 1.2 metres Over 2 Storeys and in and in accordance and in and in accordance with Sections 5.1.2.1 accordance accordance with Sections 5.1.2.1 and 5.1.2.2. and 5.1.2.2. with Sections with Sections 5.1.2.8, 5.1.2.1 and 5.1.2.8, 5.1.2.1 and 5.1.2.2 5.1.2.2 8 Minimum Rear Yard 7.5 metres or 20% of the Lot Depth, whichever is less and in accordance with Section 5.1.2.4. 9 Accessory **Buildings** or In accordance with Section 4.5. Structures 10 Fences In accordance with Section 4.20. 11 **Off-Street Parking** In accordance with Section 4.13. The **Front Yard** on any **Lot**, excepting the **Driveway (Residential)** shall be landscaped and no parking shall be permitted within this **Landscaped Open Space**. Despite the definition of **Landscaped Open Space**, a minimum area of 0.5 metres between the **Driveway** 12 Minimum Landscaped **Open Space** (Residential) and nearest Lot Line must be maintained as landscaped space in the form of grass, flowers, trees, shrubbery, natural vegetation and indigenous species. 13 Garbage, Refuse and In accordance with Section 4.9. Storage 14 Garages For those Lots located within the boundaries indicated on Defined Area Map Number 66, attached Garages shall not project beyond the main front wall of the Building. Where a roofed porch is provided, the Garage may be located ahead of the front wall of the dwelling (enclosing Habitable Floor Space on the first floor) equal to the projection of the porch to a maximum of 2 metres.

#### 15006, 15378, 17187, 18116, 19063, 19691 **TABLE 5.1.2 - REGULATIONS GOVERNING R.1** ZONES